

## ATTENTION:

This specimen label is provided for general information only.

- This pesticide product may not yet be available or approved for sale or use in your area.
- It is your responsibility to follow all Federal, state and local laws and regulations regarding the use of pesticides.
- Before using any pesticide, be sure the intended use is approved in your state or locality.
- Your state or locality may require additional precautions and instructions for use of this product that are not included here.
- Monsanto does not guarantee the completeness or accuracy of this specimen label. The information found in this label may differ from the information found on the product label. You must have the EPA approved labeling with you at the time of use and must read and follow all label directions.
- You should not base any use of a similar product on the precautions, instructions for use or other information you find here.
- Always follow the precautions and instructions for use on the label of the pesticide you are using.

100120H1-5

# ACCELERON™ IC-609

## Insecticide Seed Treatment For Corn

Acceleron IC-609 is a systemic insecticide seed treatment for use on corn for the control of listed insect pests.

All seed treated with this product must be conspicuously coloured at the time of treatment.

### Active Ingredient:

Clothianidin..... 48.0%

Other Ingredients: ..... 52.0%

Total: ..... 100.0%

Contains 5 lbs. active ingredient per gallon.

EPA Reg. No. 264-789-524

2009-1

## KEEP OUT OF REACH OF CHILDREN CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

For **Medical** and **Transportation Emergencies Only**  
Call Collect 24 Hours a Day **1-314-694-4000**

For **Product Use** Information Call Toll-Free **1-800-332-3111**

FIRST AID	
<b>If swallowed:</b>	<ul style="list-style-type: none"><li>• Immediately call a poison control center or doctor for treatment advice.</li><li>• Do not induce vomiting unless told to do so by a poison control center or doctor.</li><li>• Have person sip a glass of water if able to swallow.</li><li>• Do not give anything by mouth to an unconscious person.</li></ul>
<b>If in eyes:</b>	<ul style="list-style-type: none"><li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li><li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>
<b>If inhaled:</b>	<ul style="list-style-type: none"><li>• Move person to fresh air.</li><li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.</li><li>• Call a poison control center or doctor for further treatment advice.</li></ul>
<b>If on skin or clothing:</b>	<ul style="list-style-type: none"><li>• Take off contaminated clothing.</li><li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>

**For MEDICAL Emergencies Call Collect 24 Hours A Day 1-314-694-4000.**  
**Have the product container or label with you when calling a poison control center or doctor or going for treatment.**

**Note to Physician:** No specific antidote is available. Treat the patient symptomatically.

### Precautionary Statements

#### Hazards to Humans and Domestic Animals

**Caution.** Harmful if swallowed or absorbed through the skin. Avoid contact with skin or clothing. Wash hands thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

#### Personal Protective Equipment (PPE)

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category C on an EPA chemical resistance category selection chart.

**Applicators and other handlers must wear:** Long-sleeved shirt and long pants, chemical-resistant gloves (such as nitrile, butyl, neoprene, barrier laminate, polyvinyl chloride or Viton) and shoes plus socks. Follow manufacturer's instructions for cleaning/maintaining PPE. If no instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

### User Safety Recommendations

**Users should:** Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove Personal Protective Equipment immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

### Environmental Hazards

This product is toxic to aquatic invertebrates. Contain any product spills or equipment leaks and dispose of wastes according to disposal instructions on this label. Do not contaminate water when disposing of equipment washwaters.

### Directions for Use

**It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read entire label before using this product.**

For use by commercial treaters only. Not for use in agricultural establishments in hopper-box, slurry-box, or similar on farm seed treatment applicators used at planting. This product is to be used in commercial liquid or slurry treaters. Mix thoroughly before use or use entire container at one time.

All seed treated with this product must be conspicuously coloured at the time of treatment. This product contains no colorant. An appropriate colorant must be added when this product is applied to seed to distinguish and prevent subsequent inadvertent use as a food for man or feed for animals. Regulations pertaining to coloration of treated seed enforced by *40 CFR 153.155* must be strictly adhered to when using this product.

### Storage and Disposal

**Pesticide Storage.** Do not contaminate water, food or feed by storage or disposal. Store in a cool, dry secured storage area.

**Pesticide Disposal.** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**Container Disposal.**

2.5 gal

Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Dispose of rinsed empty container in a sanitary landfill or by incineration, or if allowed by state and local authorities, by burning. If burned stay out of smoke.

30 gal and 260 gal

Non-refillable container. Do not reuse or refill this container. After emptying product from container, contact Monsanto Company (1-800-332-3111) with return authorization for container return instructions.

Cleaning the container before final disposal is the responsibility of the person disposing of the container. Offer for recycling, if available. Dispose of rinsed empty container in a sanitary landfill or by incineration, or if allowed by state and local authorities, by burning. If burned stay out of smoke.

**Seed quality and storage of treated seed**

Treatment of highly mechanically damaged seed, or seed of known low vigor or poor quality, may result in reduced germination and/or reduction of seed and seedling vigor. Treat and conduct germination tests on a small portion of seed before committing the total seed lot to a selected chemical treatment. Due to seed quality conditions beyond the control of Monsanto Company, no claims are made to guarantee germination of carry-over seed.

**Labelling of treated seed**

Seed commercially treated with Acceleron IC-609 must be labelled in compliance with the *Federal Seed Act*.

All bags containing treated seed must be labelled or tagged as follows:

- This seed has been treated with clothianidin.
- Do not use treated seed for feed, food or oil processing.
- Rapeseed greens and seed grown or harvested from Acceleron IC-609-treated seed must not be used for feed or human consumption. Rapeseed grown and harvested from Acceleron IC-609-treated seed is only for industrial uses and can not be used for edible oil or any other human/feed consumption.
- Store away from feeds and other foodstuffs.
- Wear long-sleeved shirt, long pants and waterproof gloves when handling treated seed.
- Dispose of all excess treated seed. Left over treated seed may be doublesown around the headland or buried away from water sources in accordance with local requirements. Do not contaminate water bodies when disposing of planting equipment washwaters.
- Dispose of seed packaging in accordance with local requirements.
- Treated seeds exposed on soil surface may be hazardous to wildlife. Cover or collect treated seeds spilled during loading.

Rotational crop plant-back intervals					
Crop Planted	Immediate Plant-back	30-Day Plant-back	4-Month Plant-back	8-Month Plant-back	12-Month Plant-back
Field corn,	Field corn, popcorn, sweet corn, rapeseed, canola	Cereal grains, grasses, non-grass animal feeds, soy-beans, dry beans, root and tuber vegetables		Sugar cane	Any crops without an earlier plant-back interval

**Use information**

Acceleron IC-609 is a systemic insecticide seed treatment for use on corn for the control of listed insects.

For use in commercially available equipment designed for seed treatment only. Not for use in hopper-box, slurry-box, or similar seed treatment applications used at planting. This product is to be used in liquid or slurry treaters. Mix thoroughly before use or use

entire container at one time. All tank mixes should be pre-tested to determine physical compatibility between formulations. Observe all cautions and limitations on labeling of all products used in mixtures.

**For Early Season Protection Against Listed Insects:**

Acceleron IC-609 will aid in the protection of seeds and seedlings against injury by listed early season insects.

**Application rates**

CROP	INSECT PESTS	RATE Acceleron IC-609	
		mg a.i./ Kernel	80,000 Seed Unit
Field corn	Corn rootworm (including Northern, Western, Southern and Mexican) Southern corn billbug <sup>1</sup>	1.25	5.64 fl oz or 166.7 mL
Field corn	Chinch bug	0.25	1.13 fl oz or 33.3 mL
	Corn flea beetle Corn leaf aphid Cutworm, black Grape colaspis Seedcorn maggot Southern corn leaf beetle Southern corn rootworm Southern green stinkbug Storage pests <sup>2</sup> (including Indian meal moth, Lesser grain borer, Red flour beetle, Rice weevil, Rusty grain beetle) Sugarcane beetle White grub (including European, Chafer larvae, May/June beetle larvae, Japanese beetle larvae) Thrips Wireworm	to  0.50	to  2.26 fl oz or 66.6 mL

<sup>1</sup> Follow-up foliar sprays of a locally registered insecticide may be needed under heavy pest pressure. Consult your local Extension office for recommendations.

<sup>2</sup> It is recommended that seed with existing populations of storage pests be fumigated prior to treating and bagging seed.

**IMPORTANT: Read before use**

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

Treatment of highly mechanically damaged seed, or seed of known low vigor and poor quality, may result in reduced germination and/or reduction of seed and seedling vigor. Treat and conduct germination tests on a small portion of seed before committing the total seed lot to a selected chemical treatment. Due to seed quality conditions beyond the control of Monsanto Company no claims are made to guarantee germination of carry-over seed.

By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability.

**Conditions:** The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Monsanto Company. All such risks shall be assumed by the user or buyer.

**Disclaimer of warranties:** TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MONSANTO COMPANY MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Monsanto Company is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MONSANTO COMPANY DISCLAIMS ANY LIABILITY WHATSOEVER FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

**Limitations of liability:** TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT MONSANTO COMPANY'S ELECTION, THE REPLACEMENT OF PRODUCT.

**Acceleron** is a trademark of Monsanto Technology LLC.

Packaged For:  
Monsanto Company  
800 N. Lindbergh Blvd.  
St. Louis, MO 63167  
© 2009

Product of Germany